

A man and a woman are sitting on a wooden bench in a lush green yard. The woman is standing behind the bench, and the man is sitting on it. They are surrounded by various STIHL power tools, including a chainsaw, a trimmer, a blower, and a lawnmower. The background shows a house with a white door and windows, and a large tree. The STIHL logo is visible in the top right corner.

STIHL

**2020
CONSUMER
BATTERY &
ELECTRIC
PRODUCTS**



BATTERY POWER. MADE BY STIHL.

The quality and performance you've come to expect from STIHL in three easy-to-use battery packages.



AI
SERIES

CONVENIENT

Featuring an integrated battery, this series is ideally suited for quick tasks around smaller yards and condominiums.



AK
SERIES

VALUE-PACKED

Exceptional power meets exceptional value: This series is ideally suited for frequent use around suburban yards.



AP
SERIES

POWERFUL

Boasting professional-grade power, this series is designed for extensive use on a wide range of properties.





BATTERY & CORDED-ELECTRIC CHAIN SAWS

Legendary STIHL performance in a compact and environmentally friendly package. STIHL battery-powered and corded-electric chain saws start instantly with the squeeze of a trigger and deliver strong, consistent power. They're also significantly quieter than gasoline-powered chain saws.



MSA 120 C-B

The AK Series MSA 120 C-B is the go-to chain saw for storm cleanup or limb removal around the suburban yard.



MSA 140 C-B

The most powerful chain saw in the AK Series, the MSA 140 C-B delivers excellent cutting performance for up to 45 minutes with the AK 30 battery.*



MSE 141

The MSE 141 is our lightest, most affordable corded-electric chain saw with excellent cutting performance for occasional users.



MSA 160 C-B

Powered by a STIHL Lithium-Ion battery, the MSA 160 C-B workhorse starts instantly, delivering 36-volts of power from its commercial-grade, high-torque brushless motor.





MSE 170 C-B

The durable MSE 170 C-B features a coast-down brake and delivers all the power needed for tasks around the yard.



MSE 170 C-B

"I had a bunch of pecan wood to work up that would eventually end up in my smoker cooker. This saw went through all of it like butter and it was so easy to handle ... A simply great saw!"

User: Old71, Missouri

Check out this review and others on the product pages at STIHLUSA.COM.



MSA 200 C-B

Part of the AP Series, the lightweight and quiet MSA 200 C-B delivers the cutting power of gasoline with up to 45 minutes with the AP 300 battery.*



NEW

MSA 220 C-B

The most powerful battery-powered chain saw in the STIHL line, the MSA 220 C-B delivers the speed, cutting capacity and run time to take on just about any cutting task with ease.



MSE 210 C-B

The high-performance MSE 210 C-B corded-electric chain saw delivers the power needed for projects, such as woodworking and firewood cutting, without fuel costs and engine maintenance.



MSE 250

The MSE 250 offers professional-grade cutting power – ideal for experienced professionals, including builders and contractors because it's strong enough to handle tough cutting jobs and firewood cutting.



 A majority of STIHL gasoline-powered units sold in the United States are built in the United States from domestic and foreign parts and components.

For full specification information for all STIHL chain saws, please refer to page 14. Note: STIHL recommends the use of green-labeled bars and saw chains. See your STIHL dealer for details.





BATTERY & CORDED-ELECTRIC BLOWERS

STIHL battery-powered and corded-electric blowers make quick work of hard work: They're lightweight, powerful and start instantly with the squeeze of a trigger. They're easy-to-use and require no gasoline or fuel mixing.



BGA 45

Part of the AI Series, the battery-powered BGA 45 delivers the power urban homeowners need at an incredible value.



NEW

BGA 57

Part of the AK Series, the BGA 57 blower delivers powerful STIHL performance combined with great control and comfortable operation.



BGE 61

Quiet and easy-to-use, the BGE 61 is part of a generation of lightweight, powerful corded-electric leaf blowers.





BGA 85

"I don't have much experience with blowers, but this one seems to be excellent. My yard will be much cleaner from now on, because this blower is actually fun to use."

User: Jburton, New Mexico

Check out this review and others on the product pages at [STIHLUSA.COM](https://www.stihlusa.com).



BGE 71

The BGE 71 is a versatile, two-speed corded-electric blower for high or low speed and noise control.



BGA 85

The battery-powered BGA 85 is part of the AP Series and combines excellent blowing power that is quiet, clean and lightweight.





BATTERY & CORDED-ELECTRIC HEDGE TRIMMERS

STIHL battery-powered and corded-electric hedge trimmers are lightweight, start instantly and deliver quiet, powerful performance. All with no engine to maintain, or gasoline to keep fresh.



NEW

GTA 26

The innovative and versatile GTA 26 battery-powered garden pruner features a 4" guide bar to prune small diameter branches and timber.



HSA 25

The first STIHL battery-powered garden shears, the HSA 25 comes standard with grass and shrub shears to meet precise trimming needs, and provides up to 110 minutes of run time.*



HSA 45

Part of the AI Series, the HSA 45 delivers high cutting speeds in a compact, ergonomic design, and provides up to 40 minutes of run time.*



HSE 52

Lightweight, yet durable, the HSE 52 corded-electric hedge trimmer features a 20" double-sided blade that cuts in both directions and a D-shaped handle for easy cutting at various positions.





HSA 56

Part of the AK Series, the HSA 56 delivers a high cutting speed of 2,800 strokes per minute and a run time up to 40 minutes.*



HSA 66

Part of the AP Series, the HSA 66 runs on the same universal battery as other AP products and features optimized blade geometry and diamond-ground blades for clean cuts.



HSE 70

Made for clean, quiet cutting, the HSE 70 corded-electric hedge trimmer is lightweight and easy to maneuver and features a long 24" blade to make fast work of larger shrubs.



HSA 56

"Cuts like a hot knife through butter. I was amazed at how well it cut not only through soft branches but 1 to 2 inches as well."

User: Buddah, Michigan

Check out this review and others on the product pages at STIHLUSA.COM.



NEW

HLA 56

The battery-powered HLA 56 is perfect for tackling occasional trimming and shaping of hard-to-reach hedges and shrubs, while its quiet operation allows for use in noise-sensitive areas.



*Run time may vary based on battery type, charge level and capacity, model, operating style and conditions.

For full specification information for all STIHL hedge trimmers, please refer to page 15.

BATTERY & CORDED-ELECTRIC TRIMMERS

Homeowners can appreciate the power and convenience of STIHL battery-powered and corded-electric trimmers. They're lightweight, quiet and start instantly. They also have zero-exhaust missions and zero engine maintenance.



FSA 45

The FSA 45 delivers STIHL quality at a value price, and features a powerhead that swivels for vertical edging.



NEW

FSA 57

Ideal for suburban yards, the lightweight FSA 57 packages the convenience of battery in a value-priced set, with a run time of up to 20 minutes with the AK 10 battery.*



FSE 60

With an easy squeeze of the trigger, the FSE 60 lightweight corded-electric trimmer is capable of handling small to moderate yard work.



FSA 85

The FSA 85 delivers professional performance, with zero-exhaust emissions and low noise; ideal for jobs in noise-restricted areas.





RMA 460

Part of the AK Series, the RMA 460 walk-behind lawn mower features a 19" deck and 15.85-gallon grass catcher making it a great option for small yards.



BATTERY & CORDED-ELECTRIC SPECIALTY SOLUTIONS

Our extensive range of battery-powered and corded-electric products includes a diverse line-up of lawn mowers and an easy-to-use pressure washer.



NEW

RMA 460 V

The RMA 460 V is ideal for small, suburban yards providing users with the ease and convenience of self propulsion.



RMA 510

The RMA 510 walk-behind lawn mower is part of the AP Series and features a 21" deck, giving homeowners the performance of a gasoline-powered mower.



NEW

RMA 510 V

The RMA 510 V provides all the features and benefits of the RMA 510 with the added benefit of self propulsion.



RE 90

The easy-to-use RE 90 delivers 1,800 psi of water pressure, providing plenty of power for occasional use around the home, and comes standard with multiple nozzles for versatile cleaning applications.



For full specification information for all STIHL mowers and pressure washers, please refer to page 15.



SPRAYERS & WET/DRY VACUUMS

Landscaping sprayers designed for liquid dispersants. Our wet/dry vacuums have what you need to make your cleanups faster, quieter and cleaner than ever.



SG 11

The versatile SG 11 is great for the garden or farm and features a translucent tank for managing liquid levels.



SG 20

The 18-liter SG 20 maintains constant working pressure and is comfortable and lightweight, helping professionals get through the day with less fatigue.



SG 31

The easy-to-use SG 31 is powerful, easily portable and equipped with a 5-liter tank to tackle user's spraying tasks.



SE 62

The rugged and quiet SE 62 is perfect for use around the home or workshop, and can be converted to a blower for additional cleaning tasks.



For full specification information for all STIHL wet/dry vacuums, please refer to page 15.



SE 122

The professional SE 122 can tackle the toughest jobs with its universal wet/dry suction head and foot-activated depth control.





| Head / Blade Type | Part Number | Trimmer Line Diameter | | FSA 45 | FSA 57 | FSA 85* | FSE 60 |
|--|---------------|-----------------------|----------|--------|--------|---------|--------|
| | | Standard | Optional | | | | |
| LIGHT GRASS TRIMMER HEADS | | | | | | | |
| AUTOCUT® 2-2 | 4008 710 2103 | .080" | – | | ● | | |
| AUTOCUT® C 4-2 | 4006 710 2123 | .080" | – | | | ● | |
| AUTOCUT® C 6-2 | 4006 710 2126 | .080" | .095" | | | | ● |
| HEAVY GRASS MOWING HEADS & BLADES | | | | | | | |
| STIHL POLYCUT™ 2-2 | 4008 710 2102 | – | – | ● | | | |

* Trimmers equipped with loop handles. For models that are/were available with optional handles, "R" denotes loop-handle version.

● Approved for use with designated unit as originally equipped.

Note: Barrier bar and large deflector must be attached when using a metal blade with loop-handle (R) trimmer.

Note: Specifications are as of Oct. 1, 2019. For most recent updates, visit STIHLUSA.COM.

IMPORTANT INFORMATION

WARNING: Improper use of any brushcutter trimmer can cause serious or fatal injury. Read, understand and follow all safety instructions in your instruction manual. To reduce the risk of eye injury, always wear proper eye protection. Always use the appropriate deflector for the type of cutting attachment, as explained in your instruction manual.

| | Power Source Type | Voltage (V) | Weight* (lbs.) | Guide Bar Lengths (in.) – Recommended** | Saw Chain Pitch | STIHL OILOMATIC® Saw Chain Type |
|--------------------|---|-------------|----------------|--|-----------------|------------------------------------|
| CHAIN SAWS | | | | | | |
| MSA 120 C-B |  | 36 | 5.5 | 10 - 12 | 1/4" P | PM3 |
| MSA 140 C-B |  | 36 | 5.7 | 12 | 1/4" P | PM3 |
| MSA 160 C-B |  | 36 | 6.0 | 10 - 12 | 1/4" P | PM3 |
| MSE 170 C-B |  | 120 | 8.4 | 12 - 16 | 3/8" P | PM3 |
| MSA 200 C-B |  | 36 | 6.4 | 10 - 14 | 1/4" P | PM3 |
| MSE 210 C-B |  | 120 | 9.4 | 12 - 16 | 3/8" P | PM3 |
| MSE 250 |  | 120 | 9.4 | 16 - 20 | 3/8" | RS3 or RM3 |

*Dry weight and powerhead only. **The actual listed guide bar length can vary from the effective cutting length based on which powerhead it is installed on.

| | Power Source Type | Voltage (V) | Weight* (lbs.) | Standard Cutting Tool | Cutting Swath (in.) |
|--------------------|---|-------------|----------------|-----------------------|---------------------|
| TRIMMERS | | | | | |
| FSA 45 |  | 18 | 5.1 | STIHL PolyCut® | 9 |
| NEW! FSA 57 |  | 36 | 5.7 | AutoCut® | 11 |
| FSE 60 |  | 120 | 8.8 | AutoCut® | 14 |
| FSA 85 |  | 36 | 6.2 | AutoCut® | 14 |

*Dry weight without cutting attachment or deflector.

| | Power Source Type | Voltage (V) | Weight* (lbs.) | Sound Pressure Level – dB(A) | Avg. Air Velocity (mph) | Max. Air Velocity (mph) | Blowing Force Newtons** |
|-------------------------|---|-------------|----------------|------------------------------|-------------------------|-------------------------|-------------------------|
| HANDHELD BLOWERS | | | | | | | |
| BGA 45 |  | 18 | 4.4 | 60 | 85 | 98 | 5 |
| NEW! BGA 57 |  | 36 | 5.1 | 64 | 103 | 123 | 9 |
| BGE 61 |  | 120 | 6.8 | 64 | 130 | 148 | 9 |
| BGE 71 |  | 120 | 6.8 | 58/64 | L:105/H:130 | L:119/H:148 | L:6/H:9 |
| BGA 85 |  | 36 | 7.1 | 64 | 104 | 125 | 10 |

L = Low H = High *Dry weight. **Newton is the force needed to accelerate 1 kg of mass at the rate of 1 m/sec².



| | Power Source Type | Voltage (V) | Weight* (lbs.) | Blade Length (cm/in.) | Blade Type Single/Double Sided | Strokes per Minute |
|-----------------------|---|-------------|----------------|--------------------------------|--------------------------------|--------------------|
| HEDGE TRIMMERS | | | | | | |
| HSA 25 |  | 12 | 1.3 | Shrub: 20/7.9 Grass: 12/4.7 | Double | 2,000 |
| HSA 45 |  | 18 | 5.1 | 50/20 | Double | 2,500 |
| HSE 52 |  | 120 | 6.8 | 50/20 | Double | 3,400 |
| HSA 56 |  | 36 | 6.4 | 45/18 | Double | 2,800 |
| HSA 66 |  | 36 | 6.8 | 50/20 | Double | 3,000 |
| HSE 70 |  | 120 | 9.3 | 61/24 | Double | 3,200 |
| NEW! HLA 56 |  | 36 | 8.4 | 45/18 | Double | 2,800 |

*Dry weight.

| | Power Source Type | Voltage (V) | Motor Output (kW/amperes) | Weight* (lbs.) | Suction (mbar/in. H ₂ O) | Air flow (L/min / cfm) |
|------------------------|---|-------------|---------------------------|----------------|-------------------------------------|------------------------|
| WET/DRY VACUUMS | | | | | | |
| SE 62 |  | 120 | 1.0/8.3 | 16.5 | 210/84 | 3,200/113 |
| SE 122 |  | 120 | 1.0/8.3 | 22.0 | 230/91 | 3,200/113 |

*Dry weight.

| | Power Source Type | Voltage (V) | Weight* (lbs.) | Deck Width (in.) | Cutting Width (in.) | Cutting Height Range (in.) |
|------------------------------------|---|-------------|----------------|------------------|---------------------|----------------------------|
| BATTERY-POWERED LAWN MOWERS | | | | | | |
| RMA 460 |  | 36 | 55.1 | 19.0 | 18.1 | 1.4 - 3.9 |
| NEW! RMA 460 V |  | 36 | 61.7 | 19.0 | 18.1 | 1.0 - 3.9 |
| RMA 510 |  | 36 | 59.5 | 21.0 | 20.0 | 1.4 - 3.5 |
| NEW! RMA 510 V |  | 36 | 63.9 | 21.0 | 20.0 | 1.0 - 3.9 |

*Weight is with bag, without mulch insert and side discharge chute.

| | Power Source Type | Weight* (lbs.) | Water Pressure (psi) | Water Flow (gpm) | Cleaning Units | Pump Piston Type |
|------------------------|---|----------------|----------------------|------------------|----------------|------------------|
| PRESSURE WASHER | | | | | | |
| RE 90 |  | 23.4 | 1,800 | 1.2 | 2,160 | Stainless Steel |

*Dry weight.



BATTERY PRODUCTS



AK 10 | AK 20 | AK 30
BATTERY



AP 100 | AP 200
AP 300 | AP 300 S
BATTERY



AL 101
CHARGER



AL 300
CHARGER



NEW
AS 2
BATTERY



NEW
AL 1
CHARGER



BATTERY CARRYING CASE



AK 10 Battery AK 20 Battery AK 30 Battery

AI SERIES BATTERIES

Battery Charging Times - Minutes
(80%/100% capacity using LK 45 Charger)

| | |
|---------------|---------|
| FSA 45 | 145/210 |
| HSA 45 | 145/210 |
| BGA 45 | 210/300 |

Working Times Per Battery Charge - Minutes¹

| | |
|--|-------|
| FSA 45 (STIHL PolyCut™ 2-2 blades/.65 line) | 20/12 |
| HSA 45 | 40 |
| BGA 45 | 10 |

NEW! GTA 26

Battery Charging Times - Minutes
(80%/100% capacity using AL 1 Charger)

| | |
|---------------|-------|
| GTA 26 | 55/70 |
|---------------|-------|

Working Times Per Battery Charge - Minutes¹

| | |
|---------------|----|
| GTA 26 | 25 |
|---------------|----|

Note: The GTA 26 battery and charger are not interchangeable with the HSA 25 battery and charger.

¹ The battery working time specifications for each battery charge are estimates and may vary depending on how the tool is used and what is being cut.

AK SERIES BATTERIES

Battery Charging Times - Minutes (80%/100% capacity)

| | | | |
|-----------------------|-------|---------|---------|
| AL 101 Charger | 55/80 | 105/150 | 160/205 |
| AL 300 Charger | 20/30 | 25/45 | 35/60 |
| AL 500 Charger | 20/30 | 25/45 | 35/60 |

Working Times Per Battery Charge - Minutes¹

| | | | |
|--------------------|-----------|-----------|-----------|
| MSA 120 C-B | 15* | 35 | 55 |
| MSA 140 C-B | 15* | 35* | 45 |
| NEW! FSA 57 | 20 | 40 | 60 |
| NEW! HLA 56 | 40 | 80 | 120 |
| HSA 56 | 40 | 80 | 120 |
| NEW! BGA 57 | 8 | 18 | 27 |

Working Times Per Battery Charge - Sq. Ft.¹

| | | | |
|-----------------------|---|-------|--------------|
| RMA 460 | — | 2,207 | 2,852 |
| NEW! RMA 460 V | — | — | 2,347 |

Note: Battery/tool combinations providing the best balance, adequate run-time and performance are shown in bold.

* Reduced tool performance.

¹ The battery working time specifications for each battery charge are estimates and may vary depending on how the tool is used and what is being cut.

GET TO KNOW YOUR TOOLS LIKE NEVER BEFORE.

NEW STIHL connected

Find more information at:
STIHLUSA.COM/STIHLCONNECT



WHAT IT IS:

A new technology that connects customers with their STIHL products using a Bluetooth® device and an extensive online portal.

HOW IT WORKS:

The Smart Connector attaches to your tools and records operational details that are sent to your smartphone or tablet via Bluetooth®.

HOW YOU'LL BENEFIT:

Through the STIHL app, professionals, fleet managers and private customers will have access to current tool usage data that will allow for planned maintenance schedules and make more efficient use of the tools in your fleet.

WHO CAN USE IT:

Professionals, fleet users, private customers and dealers will all find benefits while using STIHL connected.

The Three Central System Components



The Smart Connector

The Smart Connector is easy to attach to your tool. It records the periods of operation and sends that information to your smartphone or tablet via Bluetooth®.



The STIHL connected App

The free STIHL app provides a user-friendly summary of all the useful information about your tools. You can use the app to access your STIHL connected data.



STIHL connect pro portal

The web-based STIHL connect pro portal offers an overview of your entire fleet. It can show you where a product was most recently in use while at the same time providing a maintenance schedule to ensure optimal tool performance.

GUIDE BARS, SAW CHAINS & ACCESSORIES

High-quality guide bars and saw chains for your battery-powered and corded-electric chain saws.



STIHL ROLLOMATIC® E STANDARD

A lightweight general-grade laminated guide bar made of high-grade steel and three electrically welded metal plates.



STIHL ROLLOMATIC® E MINI

Developed for use with small displacement chain saws and pole pruners using the 1/4" STIHL PICCO™ saw chain.



STIHL ROLLOMATIC® E SUPER

A solid-machined bar made of high-grade steel with the groove milled out and a replaceable sprocket nose assembly riveted in place.



OILOMATIC® STIHL PICCO™ MICRO™ MINI 3 (PMM3)

The PMM3 is designed for battery-powered and corded-electric chain saws or pole pruners with less than 1.5 kW (2.0 bhp) of power output.

| | 1/4" | 3/8" | .325" | 3/8" | .404" |
|--------|------|-------|-------|------|-------|
| 0.043" | | PICCO | | | |
| 0.050" | | 3610 | | | |



● Low-Kickback Chain



OILOMATIC® STIHL PICCO™ MICRO™ 3 (PM3)

The PM3 chain replaces the 3/8" PM1. It cuts faster and smoother and has a lower kickback tendency than the 3/8" PM1.

| | 1/4" | 3/8" | .325" | 3/8" | .404" |
|--------|------|-------|-------|------|-------|
| 0.043" | | PICCO | | | |
| 0.050" | | 3670 | | | |
| | | | 3636 | | |



● Low-Kickback Chain



OILOMATIC® STIHL PICCO™ SUPER 3 (PS3)

The PS3 is a low-kickback and low-vibration saw chain with improved cutting and boring efficiency as compared to the PM3.

| | 1/4" | 3/8" | .325" | 3/8" | .404" |
|--------|------|-------|-------|------|-------|
| 0.050" | | PICCO | | | |
| | | | 3616 | | |



● Low-Kickback Chain



OILOMATIC® STIHL RAPID™ MICRO™ 3 (RM3)

The RM3 is the reduced-kickback tendency version of the RM. It retains similar performance features of the RM saw chain.

| | 1/4" | 3/8" | .325" | 3/8" | .404" |
|--------|------|-------|-------|------|-------|
| 0.050" | | PICCO | | | |
| | | | | 3662 | |



● Low-Kickback Chain



OILOMATIC® STIHL RAPID™ SUPER 3 (RS3)

RS3 is an aggressive full-chisel chain but has a single-humped drive link to reduce kickback tendency.

| | 1/4" | 3/8" | .325" | 3/8" | .404" |
|--------|------|-------|-------|------|-------|
| 0.050" | | PICCO | | | |
| | | | | 3624 | |



● Low-Kickback Chain

PROTECTIVE APPAREL & ACCESSORIES

Supporting our customers with work wear as diverse as our product line.



PRO MARK™ APRON CHAPS

9 layers of cut-retardant material and an open-back design make these chaps great for hot working conditions.



DYNAMIC PROTECTIVE PANTS

Pants feature nylon/spandex outer shell for stretch and durability.

ProMark™

Pro Mark™ Protective Apparel is best paired with Professional STIHL units. This line of personal protective apparel is designed for professional users, helping protect against injuries they may face during frequent use.

Dynamic Protective Apparel is designed for paired use with Farm & Ranch STIHL units. This line of PPE is ideal for users focusing on both personal and work-related tasks.

Function Protective Apparel is ideal for paired use with any of your Homeowner STIHL units. While designed for the occasional user, it still meets and beats the standards required for PPE.



FUNCTION APRON CHAPS

Protective, open chaps made from rugged, 400-denier nylon.



DYNAMIC BIB CHAPS

One-size-fits-all chaps with a zippered bib pocket.

WARNING FOR CORDED-ELECTRIC AND BATTERY CHAIN SAW USERS!

The fibers may not stop the sprocket on most corded-electric chain saws and some battery-powered chain saws because of the constant high torque. However, to reduce the severity of injury from accidental contact with the chain, STIHL recommends that leg protection be worn when operating these types of chain saws.

IMPORTANT INFORMATION

All STIHL chain saw protective apparel meets or exceeds OSHA Regulation 1910.266 for Personal Protective Equipment for chain saw operators.

NOTE: Chaps are measured by overall length from the waist down. All chaps have a tough outer shell of oil/water-resistant nylon treated with rain/stain repellent.

IMPORTANT INFORMATION

WARNING: These garments contain pads of cut-retardant material designed to reduce the risk or severity of injury to the body parts covered by the pads in the event of contact with the rotating chain. The fibers in the pads provide extra layers of material and are designed to rip apart when they come into contact with the moving chain and to clog the sprocket and stop the chain. In some contacts, the pads may stop the chain. In other contacts, the pads will resist the cutting process only for a fraction of a second. The actual degree of protection afforded will vary with the speed of the chain and the time of contact, the power and torque of the saw, the design of the chain saw sprocket and similar factors. Follow the washing instructions. Improper care may destroy cut-retardant properties of the material.



OTHER STYLES AVAILABLE. For a complete listing of Personal Protective Apparel and Accessories, please visit STIHLUSA.COM.



WOODSMAN CHAIN SAW CARRYING CASE

Use the carrying case to transport and store your chain saw.



BIOPLUS™ BAR AND CHAIN OIL

STIHL BioPlus™ Bar and Chain Oil is made with a vegetable oil base, making it less harmful to humans, animals, micro-organisms and plants. Rated by the Coordinating European Council to be 93.8% biodegradable in only 21 days.



WOODCUTTER BAR AND CHAIN OIL

STIHL Woodcutter Bar and Chain Oil is affordably priced and specially formulated from base oils and additives to provide proper lubrication of chain saw guide bars, saw chains and oil pumps.



PRO MARK™ CUT-RETARDANT SHIRT

Made of high-visibility polyester and features a mesh body with vented back to allow better air circulation.



PRO MARK™ DYNAMIC GLOVES

Cut-retardant gloves made with Velcro wrist closure, full-grain tanned leather palms and inner fingers provide better grip.

HEARING PROTECTION

Other styles available. For a complete listing, visit STIHLUSA.COM.

NOTE: Various Noise Reduction Ratings (NRR) available - 21, 23, 25 and 29. Meets ANSI S3, 1974 standard.



BASIC HEARING PROTECTOR



PRO MARK™ HEARING PROTECTOR



NEW DYNAMIC BT HEARING PROTECTOR

GLOVES

Other styles available. For a complete listing, visit STIHLUSA.COM.



COTTON CANDY GLOVES



STIHL HOMESCAPER SERIES™ GLOVES



GENERAL PURPOSE GLOVES

PROTECTIVE GLASSES

Available in various styles and lens shades. They offer 99% UV protection and meet ANSI standard Z87.1.

Other styles available. For a complete listing, visit STIHLUSA.COM.



COTTON CANDY GLASSES



BLACK WORK GLASSES



NEW ADJUSTABLE GOGGLES

PROTECTIVE HEAD GEAR

Other styles available. For a complete listing, visit STIHLUSA.COM.



FUNCTION-BASIC HELMET SYSTEM



PRO MARK™ HELMET SYSTEM



BRUSH SHIELD PROTECTOR

HAND TOOLS

PRUNING SAWS, POLE PRUNERS & SAWS



PS 10

FOLDING SAW

Portable pruning saw features a 6" chrome-plated blade to cut branches up to 2" in diameter.



PS 30

FOLDING SAW

A curved 7" tapered ground blade provides precision cutting for branches 2" in diameter.



PP 10

HAND PRUNER

A lightweight, dependable hand pruner designed to tackle most pruning jobs.



PP 40

HAND PRUNER

Ideal for thicker twigs and stems, featuring a longer, wider blade that resists sap and can be re-sharpened.



Lopper

PS 75

PS 80

NOTE: Saw heads and lopper attachments are sold separately

PP 600

TELESCOPING POLE

Lightweight and can be fitted with a lopper or saw head to reach 10' above the ground.



PL 5 LOPPER

Strong, lightweight lopper with tubular steel handles and contoured grips for comfortable use.



PL 10 LOPPER

Light and portable 24" lopper with a specially curved cutting head for vines and branches up to 1.25".



PL 40 LOPPER

Large, 32" aircraft aluminum handles provide pruning leverage to higher tree branches.

WARRANTIES AND TRADEMARKS

The following trademarks are owned by
ANDREAS STIHL AG & Co. KG,
 Waiblingen: July 16, 2019

STIHL's Registered Trademarks

1. STIHL[®]
2. **STIHL**
3. **SL**
4. The color combination *
 (U.S. Registrations 2,821,860;
 3,010,057; 3,010,058; 3,400,477;
 and 3,400,476)
5. 
6. 
7. 
8. 
9. 
10. AutoCut[™]
11. DIRT BOSS[™]
12. FARM BOSS[™]
13. iCademy[™]
14. iMOW[™]
15. MAGNUM[™]
16. MasterWrench Service[™]
17. MotoMix[™]
18. OILOMATIC[™]
19. ROCK BOSS[™]
20. STIHL Cutquik[™]
21. STIHL DUROMATIC[™]
22. STIHL Quickstop[™]
23. STIHL ROLLOMATIC[™]
24. STIHL WOOD BOSS[™]
25. TIMBERSPORTS[™]
26. WOOD BOSS[™]
27. YARD BOSS[™]

Some of STIHL's Common Law Trademarks

28. 
29. 
30. 4-MIX[™]
31. BioPlus[™]
32. Easy2Start[™]
33. EasySpool[™]
34. ElastoStart[™]
35. Ematic[™]
36. FixCut[™]
37. IntelliCarb[™]
38. Master Control Lever[™]
39. Micro[™]
40. On A Single Charge[™]
41. Pro Mark[™]
42. Quiet Line[™]
43. STIHL Moto4[™]
44. STIHL M-Tronic[™]
45. STIHL OUTFITTERS[™]
46. STIHL PICCO[™]
47. STIHL PolyCut[™]
48. STIHL PowerSweep[™]
49. STIHL Precision Series[™]
50. STIHL RAPID[™]
51. STIHL SuperCut[™]
52. TapAction[™]
53. TrimCut[™]

This listing of trademarks is subject to change. Any unauthorized use of these trademarks without the express written consent of Andreas STIHL AG & Co. KG, Waiblingen is strictly prohibited.

STIHL's philosophy is to continually improve all of its products. As a result, engineering changes and improvements are made from time to time. Specifications and photos are as of October 2019, and are subject to change without notice.

STIHL Limited Warranty Time Periods

| Current Models | Personal, Family Household Use | Commercial Use |
|--|--------------------------------|----------------|
| Battery-Powered Tools (Except top-handle chain saws and cut-off machines) | 3 years | 2 years |
| Gasoline Chain Saws (Except top-handle chain saws) | 1 year | 3 months |
| 120 Volt Electric Chain Saws | 1 year | 3 months |
| Top-Handle Chain Saws* | – | 3 months |
| Cut-Off Machines, Concrete Cutter* | – | 3 months |
| Pressure Washers | 2 years | 1 year |
| Trimmers and Brushcutters, Clearing Saws, Edgers, Blowers and SR Sprayers, Hedge Trimmers, Pole Pruners, KM Series, MM Series and Wet/Dry Vacuums | 2 years | 2 years |
| SG Manual Pump Sprayers | 1 year | 1 year |
| Gearbox and Interchangeable Attachments | 2 years | 2 years |

*Marketed for commercial use only.

Additional information regarding the STIHL Limited Warranty policy is available at www.STIHLusa.com/warranty.html.



The 2-Year Limited Warranty Coverage

For commercial users on STIHL lawn care equipment and other selected power tools for commercial users, the 2-Year Limited Warranty is in addition to STIHL's industry-leading, extended warranty coverage for the drive-shaft. You can depend on your STIHL equipment to work as hard as you do, and for STIHL to stand behind its equipment. See your STIHL dealer for details.



When you purchase either STIHL HP Ultra Oil (six bottles) or STIHL MotoMix[™] Patented Premixed Fuel (one gallon minimum)

Double limited warranty protection applies to select STIHL gasoline-powered products purchased for personal non-income producing, household purposes only. Other restrictions apply. See dealer for details or refer to STIHL's Limited Warranty Policy at www.STIHLusa.com.

All STIHL products are warranted for 3 months when product is used for rental purposes.

All STIHL model PA axes, PH hedge shears, PL loppers, PP pruners and PS pruning saws are warranted to the original Consumer for as long as the appropriate spare part or product continues to be available from STIHL. Products used for rental use are excluded.

STIHL products sold through U.S. retailers are for distribution in the United States only.



Get the Official STIHL[™] App

Your mobile device is about to get even more powerful. The official STIHL App puts a wide range of STIHL resources at your fingertips. Find products, find STIHL Dealers and connect to the STIHL community. Already a STIHL owner? Enjoy quick access to product manuals, how-to articles and videos. Available in the iTunes App Store and Google Play.

NOTE: STIHL recommends using fuel with no more than 10% Ethanol content. Using fuel with greater than 10% Ethanol content may cause damage to your equipment and may void your STIHL limited warranty.

REAL STIHL. FIND YOURS.



STIHLUSA.COM     /stihlusa

7010.871.5283.M53.81.K19.MG ©2019 STIHL Incorporated

STIHL